

Verwendung		Artikel Nr.	MODEL - Farbe	EAN-13	Size	Gewicht	Pressure	inkl.20% Ust	
Straße	TUBULARS	TRAINING	GAL1D0901010	S33 PRO black-black	8592723003649	28" 21 mm	260 g	8-12 bar (115-175 p.s.i.)	32,98
			GAL1H0901011	S33 PRO black-red	8592723003823	28" 21 mm	260 g	8-12 bar (115-175 p.s.i.)	32,98
			GAL1L0901010	S33 PRO black-beige	8592723010449	28" 21 mm	260 g	8-12 bar (115-175 p.s.i.)	32,98
			GAL1D1308090	S33 PRO 24 black-black	8592723032205	28" 24 mm	310 g	6 - 8 bar (90 - 115 p.s.i.)	32,98
			GAL1H1308091	S33 PRO 24 black-red	8592723032342	28" 24 mm	310 g	6 - 8 bar (90 - 115 p.s.i.)	32,98
			GAL1L1308092	S33 PRO 24 black-beige	8592723032359	28" 24 mm	310 g	6 - 8 bar (90 - 115 p.s.i.)	32,98
		RACING / TRAINING	GAL1D0901020	JUNIOR 24" PRO black-black	8592723003656	24" 22 mm	210 g	8-12 bar (115-175 p.s.i.)	34,60
			GAL1H0901021	JUNIOR 24" PRO black-red	8592723003830	24" 22 mm	210 g	8-12 bar (115-175 p.s.i.)	34,60
			GAL1D0901030	S33 SPECIAL black-black	8592723000174	28" 21 mm	260 g	8-12 bar (115-175 p.s.i.)	49,90
			GAL1H0901031	S33 SPECIAL red-black	8592723000211	28" 21 mm	260 g	8-12 bar (115-175 p.s.i.)	49,90
			GAL1L0901032	S33 SPECIAL grey-black	8592723000259	28" 21 mm	260 g	8-12 bar (115-175 p.s.i.)	49,90
			GAL1D0901040	HI-COMPOSITE CARBON black-black	8592723000297	28" 22 mm	260 g	8-12 bar (115-175 p.s.i.)	57,96
			GAL1H0901041	HI-COMPOSITE CARBON grey-black	8592723000334	28" 22 mm	260 g	8-12 bar (115-175 p.s.i.)	57,96
			GAL1D1308120	HI-COMPOSITE CARBON 25 black-black	8592723032236	28" 25 mm	300 g	6 - 8 bar (90 - 115 p.s.i.)	57,96
		GAL1H1308121	HI-COMPOSITE CARBON 25 grey-black	8592723032786	28" 25 mm	300 g	6 - 8 bar (90 - 115 p.s.i.)	57,96	
		RACING	GAL1D0901050	ELITE RIDE 23 black-black	8592723000372	28" 23 mm	250 g	8-15 bar (115-220 p.s.i.)	87,30
			GAL1H0901051	ELITE RIDE 23 red-black	8592723000419	28" 23 mm	250 g	8-15 bar (115-220 p.s.i.)	87,30
			GAL1L0901052	ELITE RIDE 23 grey-black	8592723000457	28" 23 mm	250 g	8-15 bar (115-220 p.s.i.)	87,30
			GAL1X0901050	ELITE RIDE 23 blue-black	85927230009535	28" 23 mm	250 g	8-15 bar (115-220 p.s.i.)	87,30
			GAL1D0901060	ELITE RIDE 25 black-black	8592723000495	28" 25 mm	290 g	6-10 bar (90-145 p.s.i.)	87,30
			GAL1H0901061	ELITE RIDE 25 red-black	8592723000532	28" 25 mm	290 g	6-10 bar (90-145 p.s.i.)	87,30
			GAL1L0901062	ELITE RIDE 25 grey-black	8592723000570	28" 25 mm	290 g	6-10 bar (90-145 p.s.i.)	87,30
			GAL1T0901064	ELITE RIDE 25 blue-black	8592723032816	28" 25 mm	290 g	6-10 bar (90-145 p.s.i.)	87,30
			GAL1D0901070	ELITE JET <160 g black-black	8592723000617	28" 20 mm	<160 g	10-15 bar (145-220 p.s.i.)	92,40
			GAL1H0901071	ELITE JET <160 g red-black	8592723000655	28" 20 mm	<160 g	10-15 bar (145-220 p.s.i.)	92,40
			GAL1D0901080	S3 LITE <215 g black-black	8592723000693	28" 21 mm	<215 g	8-15 bar (115-220 p.s.i.)	67,80
			GAL1H0901081	S3 LITE <215 g red-black	8592723000730	28" 21 mm	<215 g	8-15 bar (115-220 p.s.i.)	67,80
			GAL1T0901084	S3 LITE <215 g blue-black	8592723000815	28" 21 mm	<215 g	8-15 bar (115-220 p.s.i.)	67,80
			GAL1L0901082	S3 LITE <215 g grey-black	8592723003410	28" 21 mm	<215 g	8-15 bar (115-220 p.s.i.)	67,80
		GAL1P0901083	S3 LITE <215 g yellow-black	8592723000778	28" 21 mm	<215 g	8-15 bar (115-220 p.s.i.)	67,80	
GAL1D0901090	GIRO TWIX [black-red]-black	8592723003014	28" 21 mm	240 g	8-15 bar (115-220 p.s.i.)	75,50			
GAL1H0901091	GIRO TWIX [black-grey]-black	8592723003052	28" 21 mm	240 g	8-15 bar (115-220 p.s.i.)	75,50			

Verwendung		Artikel Nr.	MODEL - Farbe	EAN-13	Size	Gewicht	Pressure	Händler EK	
Straße	TUBULAR CLINCHERS = Schlauchreifen für Drahtreifenfelge	TRAINING	PLA1D0902180	C S33 PRO black-black	8592723004158	28" 21 mm	335 g	8-12 bar (115-175 p.s.i.)	32,98
			PLA1H0902181	C S33 PRO black-red	8592723004202	28" 21 mm	335 g	8-12 bar (115-175 p.s.i.)	32,98
			PLA1L0902180	C S33 PRO black-beige	8592723008996	28" 21 mm	335 g	8-12 bar (115-175 p.s.i.)	32,98
			PLA1D1308210	C S33 PRO 24 black-black	8592723032830	28" 24 mm	385 g	6 - 8 bar (90 - 115 p.s.i.)	32,98
			PLA1H1308211	C S33 PRO 24 black-red	8592723032847	28" 24 mm	385 g	6 - 8 bar (90 - 115 p.s.i.)	32,98
			PLA1L1308212	C S33 PRO 24 black-beige	8592723032854	28" 24 mm	385 g	6 - 8 bar (90 - 115 p.s.i.)	32,98
		RACING / TRAINING	PLA1D0902190	C S33 SPECIAL black-black	8592723000853	28" 21 mm	335 g	8-12 bar (115-175 p.s.i.)	49,90
			PLA1H0902191	C S33 SPECIAL red-black	8592723000891	28" 21 mm	335 g	8-12 bar (115-175 p.s.i.)	49,90
			PLA1L0902192	C S33 SPECIAL grey-black	8592723000938	28" 21 mm	335 g	8-12 bar (115-175 p.s.i.)	49,90
			PLA1D0902200	C HI-COMPOSITE CARBON black-black	8592723000976	28" 22 mm	335 g	8-12 bar (115-175 p.s.i.)	57,96
			PLA1H0902201	C HI-COMPOSITE CARBON grey-black	8592723001010	28" 22 mm	335 g	8-12 bar (115-175 p.s.i.)	57,96
			PLA1D1308220	C HI-COMPOSITE CARBON 25 black-black	8592723032885	28" 25 mm	375 g	6 - 8 bar (90 - 115 p.s.i.)	57,96
		RACING	PLA1H1308221	C HI-COMPOSITE CARBON 25 grey-black	8592723032915	28" 25 mm	375 g	6 - 8 bar (90 - 115 p.s.i.)	57,96
			PLA1D0902210	C ELITE RIDE 23 black-black	8592723000099	28" 23 mm	315 g	8-15 bar (115-220 p.s.i.)	87,30
			PLA1H0902211	C ELITE RIDE 23 red-black	8592723000136	28" 23 mm	315 g	8-15 bar (115-220 p.s.i.)	87,30
			PLA1L0902212	C ELITE RIDE 23 grey-black	8592723002499	28" 23 mm	315 g	8-15 bar (115-220 p.s.i.)	87,30
			PLA1T0902214	C ELITE RIDE 23 blue-black	8592723032946	28" 23 mm	315 g	8-15 bar (115-220 p.s.i.)	87,30
			PLA1D0902220	C ELITE RIDE 25 black-black	8592723001058	28" 25 mm	355 g	6-10 bar (90-145 p.s.i.)	87,30
			PLA1H0902221	C ELITE RIDE 25 red-black	8592723001096	28" 25 mm	355 g	6-10 bar (90-145 p.s.i.)	87,30
			PLA1L0902222	C ELITE RIDE 25 grey-black	8592723002574	28" 25 mm	355 g	6-10 bar (90-145 p.s.i.)	87,30
			PLA1T0902224	C ELITE RIDE 25 blue-black	8592723032984	28" 25 mm	355 g	6-10 bar (90-145 p.s.i.)	87,30
			PLA1D0902240	C S3 LITE <215 g TEW black-black	8592723001218	28" 21 mm	<280 g	8-15 bar (115-220 p.s.i.)	67,80
			PLA1H0902241	C S3 LITE <215 g TEW red-black	8592723001256	28" 21 mm	<280 g	8-15 bar (115-220 p.s.i.)	67,80
			PLA1T0902244	C S3 LITE <215 g TEW blue-black	8592723001379	28" 21 mm	<280 g	8-15 bar (115-220 p.s.i.)	67,80
	PLA1L0902242	C S3 LITE <215 g TEW grey-black	8592723001294	28" 21 mm	<280 g	8-15 bar (115-220 p.s.i.)	67,80		
	PLA1P0902243	C S3 LITE <215 g TEW yellow-black	8592723001331	28" 21 mm	<280 g	8-15 bar (115-220 p.s.i.)	67,80		

Verwendung		Artikel Nr.	MODEL - Farbe	EAN-13	Size	Gewicht	Pressure	Händler EK	
TRIATHLON	TUBULARS	RACING / TRAINING	GAL1D0901100	JET SPECIAL black-black	8592723001416	28" 19 mm	230 g	8-12 bar (115-175 p.s.i.)	54,20
			GAL1H0901101	JET SPECIAL red-black	8592723003090	28" 19 mm	230 g	8-12 bar (115-175 p.s.i.)	57,20
			GAL1L0901102	JET SPECIAL grey-black	8592723001454	28" 19 mm	230 g	8-12 bar (115-175 p.s.i.)	57,20
		RACING	GAL1D0901110	ELITE PULSE black-black	8592723001492	28" 22 mm	230 g	8-15 bar (115-220 p.s.i.)	90,60
			GAL1D1308230	ELITE PULSE 25 black-black	8592723033028	28" 25 mm	280 g	6-10 bar (90-145 p.s.i.)	90,60
			GAL1D0901120	S3 26" LITE <200 g black-black	8592723001539	26" 21 mm	<200 g	8-15 bar (115-220 p.s.i.)	72,60
			GAL1L0901122	S3 26" LITE <200 g red-black	8592723033066	26" 21 mm	<200 g	8-15 bar (115-220 p.s.i.)	72,60
			GAL1D0901130	S3 LITE <195 g black-black	8592723001577	28" 19 mm	<195 g	10-15 bar (145-220 p.s.i.)	68,40
	GAL1X0901130	S3 LITE <195 g red-black	8592723028932	28" 19 mm	<195 g	10-15 bar (145-220 p.s.i.)	68,40		
	TUBULAR CLINCHERS	RACING / TRAINING	PLA1D0902260	C JET SPECIAL black-black	8592723001614	28" 19 mm	305 g	8-12 bar (115-175 p.s.i.)	54,20
			PLA1H0902261	C JET SPECIAL red-black	8592723002819	28" 19 mm	305 g	8-12 bar (115-175 p.s.i.)	54,20
			PLA1L0902262	C JET SPECIAL grey-black	8592723002857	28" 19 mm	305 g	8-12 bar (115-175 p.s.i.)	54,20
			PLA1D0903230	C JET 26" SPECIAL black-black	8592723001652	26" 19 mm	295 g	8-12 bar (115-175 p.s.i.)	54,20
			PLA1H0903231	C JET 26" SPECIAL red-black	8592723002734	26" 19 mm	295 g	8-12 bar (115-175 p.s.i.)	54,20
PLA1L0903232			C JET 26" SPECIAL grey-black	8592723002772	26" 19 mm	295 g	8-12 bar (115-175 p.s.i.)	54,20	
RACING		PLA1D0902270	C ELITE PULSE black-black	8592723001690	28" 22 mm	295 g	8-15 bar (115-220 p.s.i.)	90,60	
Bahn	TUBULARS	TRAINING	GAL1D0901150	S3 PRO black-black	8592723001737	28" 21 mm	195 g	8-15 bar (115-220 p.s.i.)	44,60
			GAL1H0901151	S3 PRO black-red	8592723001775	28" 21 mm	195 g	8-15 bar (115-220 p.s.i.)	44,60
		RACING / TRAINING	GAL1D1108230	ELITE <125 g black-black	8592723011385	28" 19 mm	<125 g	10-15 bar (145-220 p.s.i.)	92,40
			GAL1D1108240	ELITE <135 g black-black	8592723011477	28" 22 mm	<135 g	10-15 bar (145-220 p.s.i.)	92,40
		RACING	GAL1D1108250	ELITE <150 g black-black	8592723011552	28" 19 mm	<150 g	10-15 bar (145-220 p.s.i.)	84,00
			GAL1D1108260	ELITE <160 g black-black	8592723011637	28" 22 mm	<160 g	10-15 bar (145-220 p.s.i.)	84,00

Verwendung		Artikel Nr.	MODEL - Farbe	EAN-13	Size	Gewicht	Pressure	Händler EK	
CYCLO-CROSS	TUBULARS	RACING /TRAINING	GAL1D1308080	CUBUS 33 SG black-black	8592723032137	28" 33 mm	400 g	max. 4,5 bar (65 p.s.i.)	49,20
			GAL1D0901210	PRIMUS black-black	8592723001898	28" 32 mm	400 g	max. 4,5 bar (65 p.s.i.)	49,20
			GAL1D0901220	DRY PLUS black-black	8592723001935	28" 32 mm	370 g	max. 4,5 bar (65 p.s.i.)	49,20
		RACING	GAL1D1210290	FLEXUS CUBUS 33 SG black-black	8592723015024	28" 33 mm	350 g	max. 4,5 bar (65 p.s.i.)	84,90
			GAL1H1210291	FLEXUS CUBUS 33 SG grey-black	8592723033103	28" 33 mm	350 g	max. 4,5 bar (65 p.s.i.)	84,90
			GAL1L0901250	FLEXUS PRIMUS black-black	8592723006275	28" 32 mm	350 g	max. 4,5 bar (65 p.s.i.)	84,90
			GAL1D0901250	FLEXUS PRIMUS grey-black	8592723002178	28" 32 mm	350 g	max. 4,5 bar (65 p.s.i.)	84,90
			GAL1L0901270	FLEXUS DRY PLUS black-black	8592723011286	28" 32 mm	340 g	max. 4,5 bar (65 p.s.i.)	84,90
			GAL1D0901270	FLEXUS DRY PLUS grey-black	8592723002338	28" 32 mm	340 g	max. 4,5 bar (65 p.s.i.)	84,90

Verwendung	Artikel Nr.	MODEL - Farbe	EAN-13	Size	Gewicht	Pressure	Händler EK	
CYCLE-BALL ARTISTIC CYCLING	TUBULARS	GAL1E1302271	ARTISTIC CYCLING 26x1	8592723031239	26x1	290 g	8–16 bar (115–230 p.s.i.)	67,60
		GAL1E1302281	ARTISTIC CYCLING 26x1 1/8	8592723031246	26x1 1/8	330 g	8–16 bar (115–230 p.s.i.)	67,60
		GAL1E1301144	B3 26x1 beige-textil	8592723030652	26x1	350 g	8–16 bar (115–230 p.s.i.)	61,60
		GAL1E1301141	B3 26x1 black-textil	8592723030515	26x1	350 g	8–16 bar (115–230 p.s.i.)	61,60
		GAL1E1301142	B3 26x1 red-textil	8592723030638	26x1	350 g	8–16 bar (115–230 p.s.i.)	61,60
		GAL1E1301143	B3 26x1 blue-textil	8592723030645	26x1	350 g	8–16 bar (115–230 p.s.i.)	61,60
		GAL1P0902013	B3 24x1 beige-textil	8592723003977	24x1	320 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1D0902010	B3 24x1 black-textil	8592723003694	24x1	320 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1H0902011	B3 24x1 red-textil	8592723003854	24x1	320 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1L0902012	B3 24x1 blue-textil	8592723003922	24x1	320 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1P0902023	B3 22x1 beige-textil	8592723003984	22x1	290 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1D0902020	B3 22x1 black-textil	8592723003700	22x1	290 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1H0902021	B3 22x1 red-textil	8592723003861	22x1	290 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1L0902022	B3 22x1 blue-textil	8592723003939	22x1	290 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1P0902033	B3 20x1 beige-textil	8592723003991	20x1	260 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1D0902030	B3 20x1 black-textil	8592723003717	20x1	260 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1H0902031	B3 20x1 red-textil	8592723003878	20x1	260 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1L0902032	B3 20x1 blue-textil	8592723003946	20x1	260 g	8–16 bar (115–230 p.s.i.)	56,92
		GAL1E1301154	B33 26x1 1/8 beige-textil	8592723030683	26x1 1/8	430 g	8–16 bar (115–230 p.s.i.)	61,60
		GAL1E1301151	B33 26x1 1/8 black-textil	8592723030522	26x1 1/8	430 g	8–16 bar (115–230 p.s.i.)	61,60
GAL1E1301152	B33 26x1 1/8 red-textil	8592723030669	26x1 1/8	430 g	8–16 bar (115–230 p.s.i.)	61,60		
GAL1E1301153	B33 26x1 1/8 blue-textil	8592723030676	26x1 1/8	430 g	8–16 bar (115–230 p.s.i.)	61,60		
Rollstuhl-Sport	TUBULARS	GAL1D0902050	MS3 28" blue	8592723003731	28" 22 mm	330 g	12–16 bar (175–230 p.s.i.)	68,78
		GAL1D0902060	MS3 26" blue	8592723003748	26" 22 mm	315 g	12–16 bar (175–230 p.s.i.)	68,78
		GAL1D0902070	MS3 25" blue	8592723003755	25" 22 mm	315 g	12–16 bar (175–230 p.s.i.)	68,78
		GAL1D1208150	MS3 24" blue	8592723014553	24" 22 mm	300 g	12–16 bar (175–230 p.s.i.)	68,78
		GAL1X0902090	WS3 24" blue	8592723004493	24" 25 mm	375 g	12–16 bar (175–230 p.s.i.)	68,78
		GAL1D1201050	S3 20" LITE <100 g black-black	8592723012801	20" 18 mm	<100 g	10–15 bar (145–220 p.s.i.)	96,90

Verwendung		Artikel Nr.	MODEL - Farbe	EAN-13	Size	Gewicht	Pressure	Händler-EK
MTB	TUBULARS	GAL1H1106091	XC2 29" PLUS black + gluing tape	8592723007371	29 x 2,00	510 g	max. 3 bar (45 p.s.i.)	97,60
		GAL1H1308131	XC2 27,5" PLUS black + gluing tape	8592723032489	27,5x2,00	480 g	max. 3 bar (45 p.s.i.)	95,60
		GAL1H0909091	XC2 26" PLUS black + gluing tape	8592723003526	26 x 2,00	450 g	max. 3 bar (45 p.s.i.)	90,00
		GAL1H1302201	XC2 29" PLUS SP + gluing tape	8592723030843	29x2,00	535 g	max. 3 bar (45 p.s.i.)	97,60
		GAL1H1308141	XC2 27,5" PLUS SP + gluing tape	8592723032540	27,5x2,00	505 g	max. 3 bar (45 p.s.i.)	95,60
		GAL1H1308161	XC2 26" PLUS SP + gluing tape	8592723032434	26x2,00	475 g	max. 3 bar (45 p.s.i.)	90,00
		GAL1H1302211	XC4 29" SP black + gluing tape	8592723030959	29 x 2,20	610 g	max. 3 bar (45 p.s.i.)	97,60
		GAL1H1308151	XC4 26" SP black + gluing tape	8592723032465	26 x 2,20	570 g	max. 3 bar (45 p.s.i.)	90,00
		GAL1H1205241	XC5 29" black + gluing tape	8592723014232	29 x 2,00	580 g	max. 3 bar (45 p.s.i.)	97,60
		GAL1H1308171	XC5 27,5" black+ gluing tape	8592723032588	27,5x2,00	550 g	max. 3 bar (45 p.s.i.)	95,60
		GAL1D1302220	XC6 29" SP black + gluing tape	8592723031024	29 x 2,20	610 g	max. 3 bar (45 p.s.i.)	48,80
		GAL1H1308181	XC6 27,5" SP black + gluing tape	8592723032625	27,5x2,20	590 g	max. 3 bar (45 p.s.i.)	47,80
Laufräder	ROAD CARBON Laufradsatz mit Tubulars		CYCLONE + S3 LITE < 215g black-black tubulars					
		ZAK1D0811010	Campagnolo 9/10/11	8592723004288			1660,00	
		ZAK1H0811011	Shimano 10	8592723004325			1660,00	
			CARBONA + HI-COMPOSITE CARBON black-black tubulars					
		ZAK1D0811020	Campagnolo 9/10/11	8592723004295			749,00	
	ZAK1D1307170	Shimano 9/10/11	8592723032090			749,00		
	MTB CARBON Laufradsatz mit TUBULAR TYRES	ZAK1D1107140	HERON 29" + XC2 29" PLUS bl.-bl. tubulars	8592723011002			1590,00	
		ZAK1D1107141	HERON 29" LEFTY + XC2 29" PLUS bl.-bl.	8592723011019			1590,00	
		ZAK1D1107142	HERON 29" X12 + XC2 29" PLUS bl.-bl. tub.	8592723011026			1590,00	
		ZAK1D1002050	COLIBRI + XC2 PLUS black-black tubulars	8592723004301			1690,00	
		ZAK1D1002052	COLIBRI X12 + XC2 PLUS black-black	8592723006718			1690,00	
		ZAK1D1304170	XC LP 27,5" + XC2 27,5" PLUS black	8592723031529			1490,00	
		ZAK1D1308200	XC LP 27,5" LEFTY + XC2 27,5" PLUS black	8592723032748			1490,00	
		ZAK1D1308210	XC LP 27,5" X12 + XC2 27,5" PLUS black	8592723032755			1490,00	
MTB ALU Laufradsatz mit TUBULAR TYRES	ZAK1D1212100	ALCA 29"+XC2 29" PLUS black tubular	8592723015987			770,00		
	ZAK1D1107211	ALCA 29" X12 + XC2 29" PLUS black tubular	8592723011071			795,00		

	Artikel Nr.	Bezeichnung	EAN-13	Specification	Verwendung	Händer-EK
Zubehör	GLP1D1006100	TUFO MTB GLUING TAPE	8592723004370	25 mm wide	für 1 MTB Reifen	10,10
	GLP1D1106150	TUFO MTB GLUING TAPE 29"	8592723007289	25 mm wide	für 1 MTB Reifen 29"	10,4
	GLP1D1006090	TUFO ROAD GLUING TAPE	8592723004363	19 mm wide	für 1 Reifen /Preis f. 1 Stück	8,40
					ab 10 Stück	8,00
	TTE1D1011020	TUFO EXTREME SEALANT	8592723004257	50 ml	for 1 to 3 repairs	6,40
	TTS1D1011030	TUFO STANDARD SEALANT	8592723004264	50 ml	for 1 to 3 repairs	4,70
	CGP1D1208140	TUBULAR GLUING TAPE REMOVER	8592723014546	300 ml		14,90
	NAV1D1010060	VALVE EXTENSION	8592723004127	21 mm	-	5,80
	NAV1D1010061	VALVE EXTENSION	8592723004134	28 mm	-	5,80
	NAV1D1010062	VALVE EXTENSION	8592723004141	31 mm	-	5,80
	KNV1D1010080	KEY	8592723004110	plastic	for valve extension and valve core	2,20
	VEN1D1010070	VALVE CORE	8592723004271	-	-	2,20